

### **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

### **Hydrochloric acid 25%**

Creation date 12th September 2019

Revision date 19th November 2024 5.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** Hydrochloric acid 25%

Substance / mixture mixture

UFI J0VV-X2A7-N00C-3C0V

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Mixture's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

#### Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

Name or trade name Ing. Petr Švec - PENTA s.r.o. Address

Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN) 02096013 VAT Reg No CZ02096013 Phone +420 226 060 681 E-mail info@pentachemicals.eu Web address www.pentachemicals.eu

Competent person responsible for the safety data sheet

Ing. Petr Švec - PENTA s.r.o. Name F-mail info@pentachemicals.eu

1.4. **Emergency telephone number** 

European emergency number: 112 112

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1.

#### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

#### Most serious adverse physico-chemical effects

May be corrosive to metals.

#### Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. May cause respiratory irritation. Causes serious eye damage.

#### 2.2. **Label elements**

#### **Hazard pictogram**



#### Signal word

Danger

#### **Hazardous substances**

hydrochloric acid ... %

#### **Hazard statements**

H290

May be corrosive to metals.



#### SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### **Hydrochloric acid 25%**

Creation date 12th September 2019 Revision date 19th November 2024

Version 5.0

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

**Precautionary statements** 

P261 Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 017-002-01-X CAS: 7647-01-0 EC: 231-595-7 Registration number: 01-2119484862-27- 0000	hydrochloric acid %	≥25	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Specific concentration limit: Skin Corr. 1A, H314: $C \ge 25 \%$ STOT SE 3, H335: $C \ge 10 \%$ Eye Dam. 1, H318: $C \ge 1 \%$ Met. Corr. 1, H290: $C \ge 0.1 \%$ Skin Corr. 1B, H314: $C \ge 0.1 \%$	1, 2

#### Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.



	SAFETY I	DATA SHEET				
	according to Regulation (EC) N	No 1907/2006 (REACH) a	as amended			
	Hydrochloric acid 25%					
Creation date	12th September 2019					
Revision date	19th November 2024	Version	5.0			

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling vapours can cause corrosion of the breathing system. May cause respiratory irritation.

#### If on skin

Causes severe skin burns.

#### If in eves

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3.

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

3/10



	SAFETY I	DATA SHEET				
	according to Regulation (EC) N	No 1907/2006 (REACH) a	as amended			
	Hydrochloric acid 25%					
Creation date	12th September 2019					
Revision date	19th November 2024	Version	5.0			

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents. Absorb spillage to prevent material damage.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original packaging. Store locked up. Keep container tightly closed.

Storage class

8B - Non-combustible corrosive substances

#### 7.3. Specific end use(s)

not available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### European Union

#### Commission Directive 2000/39/EC

Substance name (component)	Туре	Value
OEI hydrochloric acid % (CAS: 7647–01–0) OEI	OEL 8 hours	8 mg/m <sup>3</sup>
	OEL 8 hours	5 ppm
	OEL 15 minutes	15 mg/m <sup>3</sup>
	OEL 15 minutes	10 ppm

#### **DNEL**

Hydrochloric acid 25%				
Workers / consumers	Route of exposure	Value	Effect	
Workers	Inhalation	15 mg/m³	Acute effects local	
Workers	Inhalation	8 mg/m <sup>3</sup>	Chronic effects local	

#### **PNEC**

Hydrochloric acid 25%		
Route of exposure	Value	
Marine water	0.036 mg/l	
Drinking water	0.036 mg/l	
Water (intermittent release)	0.045 mg/l	



### **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### **Hydrochloric acid 25%**

Creation date 12th September 2019 Revision date 19th November 2024

19th November 2024 Version 5.0

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product (butyl rubber, nitrile rubber). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: Protective work clothing (rubber apron). Other protection: Work boots (boots). Contaminated skin should be washed thoroughly.

#### **Respiratory protection**

Respirator. Half mask with acid vapor filter.

#### Thermal hazard

Not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state liquid

Colour colorless to yellowish

Odour acrid

Melting point/freezing point data not available
Boiling point or initial boiling point and boiling range data not available

Flammability data not available
Lower and upper explosion limit data not available
Flash point data not available
Auto-ignition temperature data not available
Decomposition temperature data not available

pH <1 (undiluted)
Kinematic viscosity data not available

Solubility in water miscible

Partition coefficient n-octanol/water (log value) data not available Vapour pressure 20hPa at 20 °C

Density and/or relative density

Density 1.1234 g/cm³
Relative vapour density data not available
Particle characteristics data not available

#### 9.2. Other information

not available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

not available

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.



	SAFETY I	DATA SHEET				
	according to Regulation (EC) N	No 1907/2006 (REACH) a	as amended			
	Hydrochloric acid 25%					
Creation date	12th September 2019					
Revision date	19th November 2024	Version	5.0			

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### **Acute toxicity**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

hydrochloric acid %					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Dermal	LD50	>5010 mg/kg		Rabbit	
Inhalation (vapor)	LC <sub>50</sub>	4701 ppm	30 minutes		

#### Skin corrosion/irritation

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

#### Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage. Data for the components of the mixture are not available.

#### Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Toxicity for specific target organ - single exposure

May cause respiratory irritation. Data for the components of the mixture are not available.



	SAFETY I	DATA SHEET				
	according to Regulation (EC) N	No 1907/2006 (REACH) a	as amended			
	Hydrochloric acid 25%					
Creation date	12th September 2019					
Revision date	19th November 2024	Version	5.0			

#### Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### **Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

#### Other information

not available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

#### **Acute toxicity**

hydrochloric acid %					
Parameter	Value	Exposure time	Species	Environment	
LC50	20.5 (pH 3.25) mg/l	96 hours	Fish (Oncorhynchus mykiss)		
EC50	0.45 mg/l	48 hours	Daphnia (Daphnia magna)		

#### 12.2. Persistence and degradability

No data are available for either the mixture or the components.

#### **Bioaccumulative potential**

No data are available for either the mixture or the components.

#### Mobility in soil

No data are available for either the mixture or the components.

#### 12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

#### 12.7. Other adverse effects

Not available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### **Hydrochloric acid 25%**

Creation date 12th September 2019

Revision date 19th November 2024 Version 5.0

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### **SECTION 14: Transport information**

14.1. UN number or ID number

UN 1789

14.2. UN proper shipping name

HYDROCHLORIC ACID

14.3. Transport hazard class(es)

3 Corrosive substances

14.4. Packing group

TT

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### **Additional information**

Hazard identification No.

UN number

Classification code

Safety signs



C1



Tunnel restriction code (E)

Air transport - ICAO/IATA

Packaging instructions passenger 851
Cargo packaging instructions 855

Marine transport - IMDG

EmS (emergency plan) F-A, S-B

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

not available



### **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

### **Hydrochloric acid 25%**

Creation date 12th September 2019 Revision date 19th November 2024

Version 5.0

#### **SECTION 16: Other information**

#### A list of standard risk phrases used in the safety data sheet

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

**Guidelines for safe handling used in the safety data sheet**P261 Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50 % of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System

Eye Dam. Serious eye damage

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient

Met. Corr. Corrosive to metals

OEL Occupational Exposure Limits
PBT Persistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail



### **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

### **Hydrochloric acid 25%**

Creation date 12th September 2019 Revision date 19th November 2024

Version 5.0

Skin Corr. Skin corrosion

STOT SE Specific target organ toxicity - single exposure

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

#### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

The version 5.0 replaces the SDS version from Monday, 3 May 2023. Changes were made in sections 2, 11, 12, 13 and 16.

#### More information

Classification procedure - calculation method.

#### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.