# Safety data sheet

		_	DATA SHEET	
		according to Regulation (EC) I		
		ic acid ready to use v	olumetric solu	tion 0,5 mol/l (N/2)
	ion date	01st December 2023		
Revis	ion date	14th November 2024	Version	2.0
ЗЕСТ	ION 1: Identificat	ion of the substance/mixture a	nd of the company/un	ndertaking
1.1.	Product identifi	er	Hydrochloric acid mol/l (N/2)	ready to use volumetric solution 0,5
	Substance / mixt	ure	mixture	
	UFI		25QW-0PX4-ES1	Н-ТЗЈ6
	Other mixture na	mes		
	Hydrochlori	c acid ready to use volumetric solu	ition 0,5 mol/l (N/10)	
L <b>.2</b> .	Relevant identi	ied uses of the substance or m	ixture and uses advise	ed against
	Mixture's intend	led use		
	Analytical chemis	try. Laboratory synthesis.		
	Mixture uses ad	vised against		
	The product shou	ld not be used in ways other than	those referred in Section	1.
L.3.	Details of the su	upplier of the safety data sheet		
	Supplier			
	Name or tra	ade name	Ing. Petr Švec - F	PENTA s.r.o.
	Address		Radiová 1122/1,	Praha 10, 102 00
			Czech Republic	
	Identificatio	on number (CRN)	02096013	
	VAT Reg No	. ,	CZ02096013	
	-		+420 226 060 68	31
	Phone		info One onto the series	icals eu
	Phone E-mail		info@pentachemi	
		SS	www.pentachemi	
	E-mail Web addres	-	www.pentachemi	
	E-mail Web addres	ss son responsible for the safety d	www.pentachemi	icals.eu
	E-mail Web addres Competent pers	-	www.pentachemi <b>ata sheet</b> Ing. Petr Švec - F	icals.eu PENTA s.r.o.
1.4.	E-mail Web addres Competent pers Name	on responsible for the safety d	www.pentachemi ata sheet	icals.eu PENTA s.r.o.

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Met. Corr. 1, H290 Eye Dam. 1, H318 **Most serious adverse physico-chemical effects** May be corrosive to metals. **Most serious adverse effects on human health and the environment** Causes serious eye damage.

# 2.2. Label elements

# Hazard pictogram



Signal word Danger Hazardous substances hydrochloric acid ... % penta<sup>°</sup> CHEMICALS UNLIMITED

# Safety data sheet

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrochloric acid ready to use volumetric solution 0,5 mol/l (N/2)

Creation date	01st December 2023			
Revision date	14th November 2024	Version	2.0	
Hazard statem	nents			
H290	May be corrosive to	o metals.		
H318	Causes serious eye	damage.		
Precautionary	statements			
P234	Keep only in origina	al packaging.		
P280	Wear eye protectio	n.		
P305+P351+P3		cautiously with water for nd easy to do. Continue	several minutes. Remove contact rinsing.	
P310	Immediately call a	doctor.		

## 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 017-002-01-X CAS: 7647-01-0 EC: 231-595-7 Registration number: 01-2119484862-27- 0000	hydrochloric acid %	1.823	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Specific concentration limit: Skin Corr. 1A, H314: $C \ge 25 \%$ STOT SE 3, H335: $C \ge 10 \%$ Eye Dam. 1, H318: $C \ge 1 \%$ Met. Corr. 1, H290: $C \ge 0.1 \%$ Skin Corr. 1B, H314: $10 \% \le C < 25 \%$	1, 2

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

## If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrochloric acid ready to use volumetric solution 0,5 mol/l (N/2)

Creation date	01st December 2023		
Revision date	14th November 2024	Version	2.0

# If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

# 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling vapours can cause corrosion of the breathing system.

# If on skin

Not expected.

# If in eyes

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

# 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

# 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents. Absorb spillage to prevent material damage.

# 6.4. Reference to other sections

See the Section 7, 8 and 13.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrochloric acid ready to use volumetric solution 0,5 mol/l (N/2)

Creation date	01st December 2023		
Revision date	14th November 2024	Version	2.0

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original packaging. 7.3. Specific end use(s)

not available

# SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1.

# European Union

European Union	Commission Directive 2000/39/EC		
Substance name (component)	Туре	Value	
	OEL 8 hours	8 mg/m <sup>3</sup>	
budrachlaric acid $0/(CAS)(7647,01,0)$	OEL 8 hours	5 ppm	
hydrochloric acid % (CAS: 7647-01-0)	OEL 15 minutes	15 mg/m <sup>3</sup>	
	OEL 15 minutes	10 ppm	

#### 8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

# Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

## Skin protection

Hand protection: Protective gloves resistant to the product (nitrile rubber). When handling in long-term or repeatedly, use protective gloves.

# **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

# **Thermal hazard**

Not available.

# **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

# **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties 9.1.

Physical state	liquid
Colour	colourless
Odour	acrid
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	non-inflammable
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available

Created in the aplication SBLCore 2024 Green (24.10.43) www.sblcore.com



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrochloric acid ready to use volumetric solution 0,5 mol/l (N/2)

Creation date	01st December 2023			
Revision date	14th November 2024	Version	2.0	
Kinematic vis	cosity	data not available	9	
Solubility in v	vater	soluble		
Partition coef	Partition coefficient n-octanol/water (log value) Vapour pressure		2	
Vapour press			2	
Density and/o	or relative density	data not available	2	
Relative vapo	ur density	data not available	2	
Particle chara	cteristics	data not available	2	
9.2. Other inform	nation			
Oxidising pro	perties	The product has i	no oxidizing properties.	

## **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - not available
- 10.2. Chemical stability

The product is stable under normal conditions.

**10.3.** Possibility of hazardous reactions Unknown.

# 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

## 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

## **10.6.** Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

## Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

hydrochloric acid %							
Parameter	Value	Exposure time	Species	Sex			
LD50	>5010 mg/kg		Rabbit				
LC50	4701 ppm	30 minutes					
	Parameter LD50	Parameter Value LD₅o >5010 mg/kg	Parameter Value Exposure time   LDso >5010 mg/kg	ParameterValueExposure timeSpeciesLDso>5010 mg/kgRabbit			

## Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

# Serious eye damage/irritation

Causes serious eye damage. Data for the components of the mixture are not available.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrochloric acid ready to use volumetric solution 0,5 mol/l (N/2)

Creation date	01st December 2023		
Revision date	14th November 2024	Version	2.0

#### Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### **Reproductive toxicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### **Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### 11.2. Information on other hazards

#### Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

# Other information

not available

# SECTION 12: Ecological information

#### 12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

#### Acute toxicity

hydrochloric acid %						
Parameter	Value	Exposure time	Species	Environment		
LC50	20.5 (pH 3.25) mg/l	96 hours	Fish (Oncorhynchus mykiss)			
EC50	0.45 mg/l	48 hours	Daphnia (Daphnia magna)			

#### 12.2. Persistence and degradability

No data are available for either the mixture or the components.

#### 12.3. Bioaccumulative potential

No data are available for either the mixture or the components.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrochloric acid ready to use volumetric solution 0,5 mol/l (N/2)

Creation date	01st December 2023		
Revision date	14th November 2024	Version	2.0

# 12.4. Mobility in soil

No data are available for either the mixture or the components.

#### 12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

#### 12.7. Other adverse effects

Not available.

#### SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

# Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## **SECTION 14: Transport information**

- 14.1. UN number or ID number UN 1789
- **14.2.** UN proper shipping name HYDROCHLORIC ACID
- 14.3. Transport hazard class(es)

8 Corrosive substances


- 14.4. Packing group III
- 14.5. Environmental hazards
  - not relevant
- **14.6.** Special precautions for user not available

**14.7.** Maritime transport in bulk according to IMO instruments not relevant

# Additional information

Hazard identification No.

UN number Classification code Safety signs



# Safety data sheet

SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended						
Creation date	01st December 2023		· · · · ·			
Revision date	14th November 2024	Version	2.0			
Air transport	- ICAO/IATA					
Packaging instructions passenger		852				
Cargo packaging instructions		856				
Marine trans	port - IMDG					
EmS (emergency plan)		F-A, S-B				

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

A list of standard risk phrase	es used in the safety data sheet	
H290	lay be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
Guidelines for safe handling	used in the safety data sheet	
P234	Keep only in original packaging.	
P280	Wear eye protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a doctor.	
Other important information	about human health protection	
	ess specifically approved by the manufacturer/importer - used for purposes other than is responsible for adherence to all related health protection regulations.	
Key to abbreviations and ac	ronyms used in the safety data sheet	
ADR	European agreement concerning the international carriage of dangerous goods by road	
BCF	Bioconcentration Factor	
CAS	Chemical Abstracts Service	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures	
EC	Identification code for each substance listed in EINECS	
EC₅o	Concentration of a substance when it is affected 50 % of the population	
EINECS	European Inventory of Existing Commercial Chemical Substances	
EmS	Emergency plan	
EU	European Union	
EuPCS	European Product Categorisation System	
Eye Dam.	Serious eye damage	
IATA	International Air Transport Association	
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals	
ICAO	International Civil Aviation Organization	

penta<sup>°</sup>CHEMICALS UNLIMITED

# Safety data sheet

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrochloric acid ready to use volumetric solution 0,5 mol/l (N/2)

Creation date	01st December 2023					
Revision date	14th November 2024	Version	2.0			
IMDG	International Maritime Dangerous Goods					
IMO	International Mariti	me Organization				
INCI	International Nomenclature of Cosmetic Ingredients					
ISO	International Organization for Standardization					
IUPAC	International Union of Pure and Applied Chemistry					
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population					
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population					
log Kow	Octanol-water partition coefficient					
Met. Corr.	Corrosive to metals					
OEL	Occupational Exposure Limits					
PBT	Persistent, bioaccumulative and toxic					
PMT	Persistent, mobile and toxic					
ppm	Parts per million					
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals					
RID	Agreement on the transport of dangerous goods by rail					
Skin Corr.	Skin corrosion					
STOT SE	Specific target organ toxicity - single exposure					
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations					
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials					
VOC	Volatile organic compounds					
vPvB	Very persistent and very bioaccumulative					
vPvM	Very persistent and very mobile					
		-				

#### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

# **Recommended restrictions of use**

not available

## Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

# The changes (which information has been added, deleted or modified)

The version 2.0 replaces the SDS version from Friday, 1 December 2023. Changes were made in sections 2, 11, 12, 13 and 16.

# More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.