

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol

Creation date 16th May 2016 Revision date 14th June 2024

Version 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

..1. Product identifier Isopropyl alcohol

Substance / mixture substance
Chemical name propan-2-ol
CAS number 67-63-0
Index number 603-117-00-0
EC (EINECS) number 200-661-7

Registration number 01-2119457558-25-0000

Other substance name

2-Propanol, Propan-2-ol, Isopropanol, Isopropyl alcohol

1.2. Relevant identified uses of the substance or mixture and uses advised against Substance's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Substance uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)02096013VAT Reg NoCZ02096013Phone+420 226 060 681E-mailinfo@pentachemicals.euWeb addresswww.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. E-mail info@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause drowsiness or dizziness.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol

Creation date 16th May 2016 Revision date

14th June 2024 Version 5.0

2.2. **Label elements**

Hazard pictogram





Signal word

Danger

Dangerous substance

propan-2-ol

(Index: 603-117-00-0; CAS: 67-63-0)

Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

Substances

Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25-0000	substance main component propan-2-ol	>99	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Cardiac arrest - provide indirect cardiac massage immediately.



	SAFETY	DATA SHEET					
	according to Regulation (E	C) No 1907/2006 (REACH)	as amended				
	Isopropyl alcohol						
Creation date	16th May 2016						
Revision date	14th June 2024	Version	5.0				

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water/shower.

If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

DO NOT INDUCE VOMITING! Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause drowsiness or dizziness.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. The substance is flammable. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eves.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Isopropyl alcohol Creation date 16th May 2016 Revision date 14th June 2024 Version 5.0

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Use only non-sparking tools. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Storage class 3A - Flammable liquids (flash point below 55 °C)

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

none

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Contaminated skin should be washed thoroughly. Hand protection: Protective gloves resistant to the product (nitrile rubber).

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment. Mask with filter against organic vapors.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liqui



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol

Creation date 16th May 2016 Revision date 14th June 2024

Version 5.0

Colour colourless

Odour containing alcohol

Melting point/freezing point -89.5 °C
Boiling point or initial boiling point and boiling range 82 °C

Flammability data not available

Lower and upper explosion limit

bottom 2 % upper 12.7 % Flash point 12 °C

Auto-ignition temperature data not available Decomposition temperature data not available pH 7 (undiluted) Kinematic viscosity data not available

Viscosity 2.2
Solubility in water miscible
Partition coefficient n-octanol/water (log value) 0.05
Vapour pressure 43 at 20 °C

Vapour pressure
Density and/or relative density

Density 0.789 g/cm³ at 20 °C Relative vapour density data not available Particle characteristics data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The substance is highly flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

Acute toxicity

Based on available data the classification criteria are not met.

propan-2-ol							
Route of exposure	Parameter	Value	Exposure time	Species	Sex		
Oral	LD50	>2000 mg/kg		Rat			



	SAFETY	DATA SHEET					
	according to Regulation (E	C) No 1907/2006 (REACH) a	as amended				
	Isopropyl alcohol						
Creation date	16th May 2016						
Revision date	14th June 2024	Version	5.0				

propan-2-ol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	
Inhalation (vapor)	LC50	>5 mg/kg	4 hours	Rat		
Oral	LD50	4710 mg/kg		Rat		
Inhalation (vapor)	LC50	72.6 mg/l	4 hours	Rat		
Dermal	LD50	12870 mg/kg		Rabbit		
Dermal	LD50	>2000 mg/kg		Rat		

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

propan-2-ol						
Route of exposure	Result	Exposure time	Species			
	Highly irritating		Rabbit			

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

propan-2-ol	propan-2-ol							
Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex	
Inhalation	NOAEL	12.3 mg/l	24 months	Kidney	Indeterminate	Rat		
Inhalation	NOAEL	12 mg/l	13 weeks	Nervous system	Negative	Rat		
Oral	NOAEL	400 mg/kg/24h	12 weeks	Kidney	Indeterminate	Rat		

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Isopropyl alcohol Creation date 16th May 2016 Revision date 14th June 2024 Version 5.0

11.2. Information on other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data the classification criteria are not met.

Acute toxicity

propan-2-ol	propan-2-ol						
Parameter	Value	Exposure time	Species	Environment	Value determination		
LC50	>100 mg/l	96 hours	Fish				
EC50	>100 mg/l	48 hours	Daphnia				
NOEC	30 mg/l	21 days	Daphnia		Experimentally		
EC50	1400 mg/l	48 hours	Crustaceans		Experimentally		
EC50	>1000 mg/l	24 hours	Algae		Experimentally		
IC50	>100 mg/l	72 hours	Algae				

12.2. Persistence and degradability

The following data are available.

Biodegradability

propan-2-ol						
Parameter	Value	Exposure time	Environment	Value determination	Result	
		14 days		Experimentally		

12.3. Bioaccumulative potential

No data available for the substance.

12.4. Mobility in soil

No data available for the substance.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol

Creation date 16th May 2016 Revision date 14th June 2024

Version 5.0

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1219

14.2. UN proper shipping name

ISOPROPANOL

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

II

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No. UN number Classification code Safety signs



F1 3



Tunnel restriction code (D/E)

Air transport - ICAO/IATA

Packaging instructions passenger 353
Cargo packaging instructions 364

Marine transport - IMDG

EmS (emergency plan) F-E, S-D MFAG 305

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol

Creation date 16th May 2016 Revision date 14th June 2024

Version 5.0

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

IC50Concentration causing 50% blockadeICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientNOAELNo observed adverse effect levelNOECNo observed effect concentrationOELOccupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol

Creation date 16th May 2016 Revision date 14th June 2024

Version 5.0

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Eye Irrit. Eye irritation Flam. Liq. Flammable liquid

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 5.0 replaces the SDS version from 09 March 2023. Changes were made in sections 1, 2, 11 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.