

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019 Revision date 10th December 2024

sion date 10th December 2024 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Substance / mixture substance

Chemical name Ammonium thiocyanate

 CAS number
 1762-95-4

 EC (EINECS) number
 217-175-6

 Registration number
 01-2119543696-28

1.2. Relevant identified uses of the substance or mixture and uses advised against

Substance's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Substance uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)02096013VAT Reg NoCZ02096013Phone+420 226 060 681E-mailinfo@pentachemicals.euWeb addresswww.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. E-mail info@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Acute Tox. 4, H302+H312+H332

Eye Dam. 1, H318 Aquatic Chronic 3, H412

Most serious adverse effects on human health and the environment

Causes serious eye damage. Harmful if swallowed, in contact with skin or if inhaled. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word

Danger

Dangerous substance

Ammonium thiocyanate

(EC: 217-175-6; CAS: 1762-95-4)



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019 Revision date 10th December 2024

Version 3.0

Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear eye protection.
P310 Immediately call a doctor.

Supplemental information

EUH032 Contact with acids liberates very toxic gas.

2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1762-95-4 EC: 217-175-6 Registration number: 01-2119543696-28	substance main component Ammonium thiocyanate		Acute Tox. 4, H302+H312+H332 Eye Dam. 1, H318 Aquatic Chronic 3, H412 EUH032 Specific concentration limit: ATE Oral = 513,13 mg/kg bw ATE Inhalation (dust/mist) = 1,52 mg/l ATE Dermal = 1112 mg/kg bw	1

Notes

1 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019

Revision date 10th December 2024 Version 3.0

If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system. Cough, headache.

If on skin

not available

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019
Payision date 10th December 2024

Revision date 10th December 2024 Version 3.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale dust. Prevent contact with skin and eyes. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Keep container tightly closed.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL

Ammonium thiocyar	Ammonium thiocyanate					
Workers / consumers	Route of exposure	Value	Effect	Source		
Workers	Inhalation	2.8 mg/m ³	Chronic effects systemic	Nouryon		
Workers	Dermal	4 mg/kg	Chronic effects systemic	Nouryon		
Consumers	Inhalation	0.7 mg/m ³	Chronic effects systemic	Nouryon		
Consumers	Dermal	2 mg/kg	Chronic effects systemic	Nouryon		
Consumers	Oral	0.2 mg/kg	Chronic effects systemic	Nouryon		

PNEC

Ammonium thiocyanate					
Route of exposure	Value	Source			
Freshwater environment	0.095 mg/l	Nouryon			

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



3.0

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019 Revision date 10th December 2024

Version

Physical state solid Colour white Odour data not available data not available Melting point/freezing point Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available Flash point data not available Auto-ignition temperature data not available

Auto-ignition temperature

Decomposition temperature

pH

data not available

Solubility in water

Partition coefficient n-octanol/water (log value)

Vapour pressure

data not available

data not available

Density and/or relative density

Relative vapour density

Particle characteristics

data not available
data not available
data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The substance is non-flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

Ammonium thic	Ammonium thiocyanate						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Oral	LD50	OECD 401	508 mg/kg				Nouryon
Dermal		OECD 402	>2000 mg/kg		Rat (Rattus norvegicus)		Nouryon
Oral	ATE		513.13 mg/kg bw				

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019
Revision date 10th December 2024

Revision date 10th December 2024 Version 3.0

Ammonium thic	Ammonium thiocyanate						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Inhalation (dust/mist)	ATE		1.52 mg/l				
Dermal	ATE		1112 mg/kg bw				

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019 Revision date 10th December 2024

Version 3.0

Acute toxicity

Ammonium ¹	Ammonium thiocyanate						
Parameter	Method	Value	Exposure time	Species	Environme nt	Source	
LC50	OECD 203	65 mg/l	96 hours	Fish (Oncorhynchus mykiss)		Nouryon	
EC50	OECD 202	3.56 mg/l	48 hours	Daphnia (Daphnia magna)		Nouryon	
	OECD 201	106.50 mg/l	72 hours	Algae (Pseudokirchneriell a subcapitata)		Nouryon	

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Based on available data the classification criteria are not met. Does not contain any PBT or vPvB components. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019
Revision date 10th December 2024

Revision date 10th December 2024 Version 3.0

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Ammonium thiocyanate

Restriction	Conditions of restriction
65	1. Shall not be placed on the market, or used, in cellulose insulation mixtures or cellulose insulation articles after 14 July 2018 unless the emission of ammonia from those mixtures or articles results in a concentration of less than 3 ppm by volume (2,12 mg/m3) under the test conditions specified in paragraph 4.
	A supplier of a cellulose insulation mixture containing inorganic ammonium salts shall inform the recipient or consumer of the maximum permissible loading rate of the cellulose insulation mixture, expressed in thickness and density.
	A downstream user of a cellulose insulation mixture containing inorganic ammonium salts shall ensure that the maximum permissible loading rate communicated by the supplier is not exceeded.
	2. By way of derogation, paragraph 1 shall not apply to placing on the market of cellulose insulation mixtures intended to be used solely for the production of cellulose insulation articles, or to the use of those mixtures in the production of cellulose insulation articles.
	3. In the case of a Member State that, on 14 July 2016, has national provisional measures in place that have been authorised by the Commission pursuant to Article 129(2)(a), the provisions of paragraphs 1 and 2 shall apply from that date.
	 4. Compliance with the emission limit specified in the first subparagraph of paragraph 1 shall be demonstrated in accordance with Technical Specification CEN/TS 16516, adapted as follows: (a) the duration of the test shall be at least 14 days instead of 28 days; (b) the ammonia gas emission shall be measured at least once per day throughout the test; (c) the emission limit shall not be reached or exceeded in any measurement taken during the test; (d) the relative humidity shall be 90 % instead of 50 %; (e) an appropriate method to measure the ammonia gas emission shall be used; (f) the loading rate, expressed in thickness and density, shall be recorded during the sampling of the cellulose insulation mixtures or articles to be tested.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019 Revision date 10th December 2024

h December 2024 Version 3.0

A list of standard risk phrases used in the safety data sheet

EUH032 Contact with acids liberates very toxic gas.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P273 Avoid release to the environment.

P280 Wear eye protection.
P310 Immediately call a doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity

ADR European agreement concerning the international carriage of dangerous goods by

road

Aquatic Chronic Hazardous to the aquatic environment (chronic)

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50 % of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System

Eye Dam. Serious eye damage

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds



3.0

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Pentanal® Ammonium thiocyanate 0,1 mol/l (N/10)

Creation date 16th September 2019 Revision date 10th December 2024

Version

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from Wednesday, 18 May 2022. Changes were made in sections 1, 2, 11, 12, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.