

## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

Petroleum

Creation date 31st May 2021

Revision date 12th September 2024 4.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** Petroleum Substance / mixture mixture

UFI XHUX-Y04R-E007-NPAT

Other mixture names

Benzinová frakce (ropná)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

Name or trade name Ing. Petr Švec - PENTA s.r.o. Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN) 02096013 VAT Rea No CZ02096013 Phone +420 226 060 681 E-mail info@pentachemicals.eu Web address www.pentachemicals.eu

Competent person responsible for the safety data sheet

Ing. Petr Švec - PENTA s.r.o. Name F-mail info@pentachemicals.eu

1.4. **Emergency telephone number** 

European emergency number: 112 112

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2 1

#### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336

STOT RE 1, H372 (central nervous system) (inhalation)

Aquatic Chronic 2, H411

#### Most serious adverse physico-chemical effects

Flammable liquid and vapour.

#### Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Causes damage to the central nervous system through prolonged or repeated exposure if inhaled. Toxic to aquatic life with long lasting effects.

#### 2.2. **Label elements**

## Hazard pictogram



Signal word

Danger



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### Petroleum

Creation date 31st May 2021

Revision date 12th September 2024 Version 4.0

#### **Hazardous substances**

C9-C12

#### **Hazard statements**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system through prolonged or repeated

exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P260 Do not breathe mist/vapours/spray.
P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P403 Store in a well-ventilated place.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 919-446-0 Registration number: 01-2119458049-33- xxxx	C9-C12	100	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 STOT RE 1, H372 (central nervous system) (inhalation) Aquatic Chronic 2, H411	
Index: 601-020-00-8 CAS: 71-43-2 EC: 200-753-7 Registration number: 01-2119447106-44- 0034	benzene	<0,01	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 1B, H340 Carc. 1A, H350 STOT RE 1, H372	1

## Notes

1 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.



	SAFETY I	DATA SHEET		
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended	
	Pet	roleum		
Creation date	31st May 2021			
Revision date	12th September 2024	Version	4.0	

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

#### If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Provide medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

## 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Cough, headache. May cause drowsiness or dizziness.

## If on skin

Not expected.

## If in eyes

Not expected.

## If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.



	SAFETY I	DATA SHEET			
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended		
	Petroleum				
Creation date	31st May 2021				
Revision date	12th September 2024	Version	4.0		

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

## The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

## 7.3. Specific end use(s)

not available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

## **PNEC**

benzene				
Route of exposure	Value	Value determination	Source	
Freshwater environment	1.9 mg/l			
Marine water	1.9 mg/l			
Water (intermittent release)	1.9 mg/l			
Soil (agricultural)	4.8 mg/kg			



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### Petroleum

Creation date 31st May 2021

Revision date 12th September 2024 Version 4.0

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Safety glasses or protective shield.

#### Skin protection

Hand protection: Protective gloves resistant to the product (nitrile rubber). Contaminated skin should be washed thoroughly.

#### Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

#### Thermal hazard

Not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state liquid

Colour colorless to yellowish

Odour characteristic
Melting point/freezing point <-45 °C
Boiling point or initial boiling point and boiling range 145-200 °C
Flammability inflammable

Lower and upper explosion limit

bottom 0.6 % upper 6.5 % Flash point >38 °C

Auto-ignition temperature data not available
Decomposition temperature data not available
pH data not available
Kinematic viscosity data not available

Solubility in water insoluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure 48 hPa at 20 °C

Density and/or relative density

Density 0.755-0.790 g/cm³ at 15 °C

Relative vapour density data not available Particle characteristics data not available

## 9.2. Other information

not available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

not available

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.



SAFETY DATA SHEET					
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended		
	Petroleum				
Creation date	31st May 2021				
Revision date	12th September 2024	Version	4.0		

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### **Acute toxicity**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

benzene						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	2000 mg/kg		Rat (Sprague- Dawley)	М
Inhalation (vapor)	LC50	OECD 403	13700 ppm	4 hours	Rat (Sprague- Dawley )	F
Dermal	LD50	OECD 402	>9.4 mg/kg bw		Guinea-pig (Hartley)	F/M
Oral	LDLo		50-500 mg/kg		Human	

## Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Serious eye damage/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.



	SAFETY I	DATA SHEET			
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended		
	Petroleum				
Creation date	31st May 2021				
Revision date	12th September 2024	Version	4.0		

#### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness. Data for the components of the mixture are not available.

### Toxicity for specific target organ - repeated exposure

Causes damage to the central nervous system through prolonged or repeated exposure if inhaled. Data for the components of the mixture are not available.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways. Data for the components of the mixture are not available.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

#### **Acute toxicity**

benzene					
Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	OECD 203	5.3 mg/l	96 hours	Fish (Oncorhynchus mykiss)	Fresh water
LC50		15.6 mg/l	96 hours	Fish (Pimephales promelas)	
EC50	OECD 202	10 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50	OECD 201	32 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

## 12.2. Persistence and degradability

Data for the mixture are not available.

## Biodegradability

benzene					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	96 %	28 days		Easily biodegradable

## 12.3. Bioaccumulative potential

Data for the mixture are not available.

benzene					
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	1-3				

## 12.4. Mobility in soil

No data are available for either the mixture or the components.

## 12.5. Results of PBT and vPvB assessment



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### Petroleum

Creation date 31st May 2021

Revision date 12th September 2024 Version 4.0

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### **Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

07 07 04\* other organic solvents, washing liquids and mother liquors

16 03 05\* organic wastes containing hazardous substances

15 01 10\* packaging containing residues of or contaminated by hazardous substances

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## **SECTION 14: Transport information**

#### 14.1. UN number or ID number

UN 1300

## 14.2. UN proper shipping name

TURPENTINE SUBSTITUTE

#### 14.3. Transport hazard class(es)

3 Flammable liquids

#### 14.4. Packing group

Η

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

not available

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## **Additional information**

Hazard identification No.

UN number

Classification code

Safety signs



F1

3+hazardous for the environment





	SAFETY	Y DATA SHEET		
	according to Regulation (E	C) No 1907/2006 (REACH) a	as amended	
	P	etroleum		
Creation date	31st May 2021			
Revision date	12th September 2024	Version	4.0	
Tunnel restriction code		(D/E)		
Air transport	- ICAO/IATA			
Packaging	Packaging instructions passenger			
Cargo packaging instructions		364		
Marine trans	Marine transport - IMDG			
EmS (em	ergency plan)	F-E, S-E		
Marine transport - IMDG EmS (emergency plan)		F-E, S-E		

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

#### benzene

Restriction	Conditions of restriction
05	1. Shall not be used in toys or parts of toys where the concentration of benzene in the free state is greater than 5 mg/kg (0,0005 %) of the weight of the toy or part of toy.
	2. Toys and parts of toys not complying with paragraph 1 shall not be placed on the market.
	3. Shall not be placed on the market, or used,  — as a substance,
	- as a constituent of other substances, or in mixtures, in concentrations equal to, or greater than 0,1 % by weight.
	<ul> <li>4. However, paragraph 3 shall not apply to:</li> <li>(a) motor fuels which are covered by Directive 98/70/EC;</li> <li>(b) substances and mixtures for use in industrial processes not allowing for the emission of benzene in quantities in excess of those laid down in existing legislation.</li> <li>(c) natural gas placed on the market for use by consumers, provided that the concentration of benzene remains below 0,1 % volume/volume.</li> </ul>



	SAFETY I	DATA SHEET		
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended	
Petroleum				
Creation date	31st May 2021			
Revision date	12th September 2024	Version	4.0	

## benzene

benzene	
Restriction	Conditions of restriction
28	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:  1. Shall not be placed on the market, or used,  — as substances,
	<ul> <li>as constituents of other substances, or,</li> <li>in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:</li> </ul>
	<ul> <li>either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No. 1272/2008, or,</li> </ul>
	— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products:
	<ul> <li>motor fuels which are covered by Directive 98/70/EC,</li> <li>mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li> <li>fuels sold in closed systems (e.g. liquid gas bottles);</li> <li>artists/ prints assumed by Paralletian (EC) No 1373/2000;</li> </ul>
	<ul><li>(d) artists' paints covered by Regulation (EC) No 1272/2008;</li><li>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11 column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.</li></ul>
	(f) devices covered by Regulation (EU) 2017/745.



	SAFETY I	DATA SHEET		
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended	
	Pet	roleum		
Creation date	31st May 2021			
Revision date	12th September 2024	Version	4.0	

## benzene

Restriction	Conditions of restriction
29	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:  1. Shall not be placed on the market, or used,  — as substances,  — as constituents of other substances, or,  — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:  — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,  — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:  "Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11 column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.  (f) devices covered by Regulation (EU) 2017/745.



	SAFETY I	DATA SHEET		
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended	
Petroleum				
Creation date	31st May 2021			
Revision date	12th September 2024	Version	4.0	

### benzene

Restriction	Conditions of restriction
72	1. Shall not be placed on the market after 1 November 2020 in any of the following:
	<ul><li>(a) clothing or related accessories;</li><li>(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;</li><li>(c) footwear;</li></ul>
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.
	2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
	<ul> <li>3. Paragraph 1 shall not apply to:</li> <li>(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;</li> <li>(b) non-textile fasteners and non-textile decorative attachments;</li> <li>(c) second-hand clothing, related accessories, textiles other than clothing or footwear</li> <li>(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.</li> </ul>
	4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).
	5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
	6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.
	7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.
	(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).
	(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

## 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.
H350	May cause cancer.



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

Petroleum

Creation date 31st May 2021

Revision date 12th September 2024 Version 4.0

H372 Causes damage to the central nervous system through prolonged or repeated

exposure if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smokina.

P260 Do not breathe mist/vapours/spray.
P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P403 Store in a well-ventilated place.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### Petroleum

Creation date 31st May 2021

Revision date 12th September 2024 Version 4.0

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox. Aspiration hazard
Carc. Carcinogenicity
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
Muta. Germ cell mutagenicity

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

#### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

## Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 17 January 2024. Changes were made in sections 2 and 16.

#### More information

Classification procedure - calculation method.

## **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.